Sri ALUR HANUMANTHAPPA.—They are under progress.

ಶ್ರೀ ಎಸ್. ಎಂ ಕೃಷ್ಣ.—ಈ ಕಾಮಗಾರಿಗಳು ಯಾವ ಇಸವಿಯಲ್ಲಿ ಪ್ರಾರಂಭವಾದದ್ದು ?

Sri ALUR HANUMANTHAPPA.—It is a matter of detail. I want notice.

ಶ್ರೀ ಕೆ. ಪಿ. ರೇವಣ್ಣ ಸಿದ್ದಪ್ಪ.—ಈ ಕೆಲಸಗಳಿಗೆ ಹಣವನ್ನು ತಾಲ್ಲೂಕುವಾರು ಡಿವಿಜ್‌ವಾರು ಹಂಚುತ್ತೀರಾ ?

ಶ್ರೀ ಆಲೂರು ಹನುಮಂತಪ್ಪ.—ಆಯಾ ಭಾಗದ ಅವಶ್ಯಕತೆಗಳನ್ನು ನೋಡಿ ಹಂಚಲಾಗುತ್ತದೆ.

ಶ್ರೀ ಕೆ. ಪಿ. ರೇವಣ್ಣ ಸಿದ್ದಪ್ಪ.— ಎಲ್ಲ ತಾಲ್ಲೂಕುಗಳಲ್ಲಿಯೂ ಅವಶ್ಯಕವೆಂಬುದು ತಮಗೆ ಗೊತ್ತಿದೆಯೆ?

ಶ್ರೀ ಆಲೂರು ಹನುಮಂತಪ್ಪ.—ಗೊತ್ತಿದೆ.

Sri ANNA RAO GANAMUKHI.—May I know whether irrigation schemes which will have to be taken during the Third Plan period have been investigated or the assessment of irrigation potential been investigated under different schemes ?

Mr. SPEAKER.—Is it the first plan period ?

Sri ANNA RAO GANAMUKHI.—For future plan.

Sri ALUR HANUMANTHAPPA.—There are a number of works which have already been investigated and for want of funds they have been held up.

Sri T. MADIAH GOWDA.—Has it come to the notice of the Government that in Channapatna taluk many tanks are silted up ?

Sri ALUR HANUMANTHAPPA.—Yes, Sir.

Execution of Dashaware Hebballa Tank work in Channapatna Taluk

*Q.—312. Sri B. J. LINGE GOWDA (Channapatna).—

Will the Government be pleased to state :—

(*a*) since how long the work of Dashaware Hebballa Tank in Channapatna Taluk is pending for execution ;

(*b*) the reasons for the delay in taking up the work ?

*A.—Sri ALUR HANUMANTHAPPA (Deputy Minister for Minor Irrigation).—

(*a*) The scheme was dropped after consideration in 1955. A fresh scheme is now under examinination.

(*b*) The estimate of the fresh scheme has recently been received by Government after several alternative sites were examined.

ಶ್ರೀ ಬಿ. ಜೆ. ಲಿಂಗೇ ಗೌಡ.—ಈ ದಶಾವರ, ಯೋಜನೆಯನ್ನು 1955 ರಲ್ಲಿ ಕೈಬಿಡಲಾಯಿತೆಂದು ಹೇಳಿದ್ದೀರಿ, ಹಾಗಾದರೆ ಇದನ್ನು ಕಾರ್ಯಗತ ಮಾಡುವುದಿಲ್ಲವೇ ?

ಶ್ರೀ ಆಲೂರು ಹನುಮಂತಪ್ಪ.—ದಶಾವರದ ಹತ್ತಿರ ಒಂದು ಕಡೆ ಕೆಲಸವನ್ನು ತೆಗೆದುಕೊಳ್ಳಲು ಅಂದಾಜು ಬಂದಿದೆ, ಅದು ಸರ್ಕಾರದ ಪರಿಶೀಲನೆಯಲ್ಲಿದೆ.

ಶ್ರೀ ಜಿ. ವೆಂಕಟೇ ಗೌಡ.—1955 ರಲ್ಲಿ ಕೈಬಿಡಬೇಕೆಂದು ತೀರ್ಮಾನ ಮಾಡಲು ಕಾರಣವೇನು ?

ಶ್ರೀ ಆಲೂರು ಹನುಮಂತಪ್ಪ.—ಅದಕ್ಕೆ ಪ್ರತಿಫಲ ಸಾಲದೆಂದು. Supplementary estimates have been prepared and all the estimates are under the scrutiny of the Government.

ಶ್ರೀ ಜಿ. ವೆಂಕಟೇ ಗೌಡ.—1955 ರಲ್ಲಿ ಪ್ರತಿಫಲ ಸಾಕಷ್ಟಿಲ್ಲವೆಂದು ತಿಳಿದು, ಈಗ ಬರುತ್ತದೆಂದು ಗೊತ್ತಾಯಿತೆ ?

Sri ALUR HANUMANTHAPPA.—Different sites have been Selected and the question is under the active consideration of the Government.

Sri C. J. MUCKANNAPPA.—May I know the number of sites you have selected to execute this project ?

Sri ALUR HANUMANTHAPPA.—There are four sites at present. Government is very actively considering which site is best.

Sri K. S. SURYANARAYANA RAO.—What is the irrigational potential in that area ?

Sri ALUR HANUMANTHAPPA.—It is under the examination of Government. We cannot clearly say which is the feasible one and which is not.

Sri K. S. SURYANARAYANA RAO.—When the scheme is sanctioned, or when it is submitted for the approval of Government, a preliminary survey must have been made and they must have an idea of the irrigational potential...

Mr. SPEAKER.—Hon. member should not argue. He has to put a supplementary question. Let him put directly—did not the scheme envisage...

ಶ್ರೀ ಕೆ. ಎಸ್. ಸೂರ್ಯನಾರಾಯಣ ರಾವ್.—ಈ ಕೆರೆಯ ಕೆಳಗೆ ಎಷ್ಟು ಅಚ್ಚುಕಟ್ಟು ನೀರಾವರಿಯಾಗುತ್ತದೆ ?

Sri ALUR HANUMANTHAPPA.—The whole thing is under examination. ನಾಲ್ಕು ಸೈಟುಗಳಿವೆ, ಯಾವ ಯಾವುದಕ್ಕೆ ಎಷ್ಟೆಷ್ಟೆಂದು ಈಗ ಹೇಳುವುದಕ್ಕಾಗುವುದಿಲ್ಲ.

ಶ್ರೀ ಸಿ. ಜೆ. ಮುಕ್ಕಣ್ಣಪ್ಪ.—ಈ ನಾಲ್ಕು ಸೈಟು ಗಳಲ್ಲಿ ಕೆರೆ ಕಟ್ಟಿದರೆ ಯಾವಯಾವುದರಲ್ಲಿ ಎಷ್ಟೆಷ್ಟು ಜಮೀನು ಮುಳುಗಡೆಯಾಗುತ್ತದೆ ?

Sri ALUR HANUMANTHAPPA.—Everything is under examination. We have not yet finally concluded which is the feasible one. Government is actively considering which is the site which is feasible.

Mr. SPEAKER.—Sri Suryanarayana Rao wants to know with regard to each scheme that was submitted, with regard to the four sites, the extent of area to be irrigated.

Sri ALUR HANUMANTHAPPA.—Yes, Sir. We have got the figures.

Mr. SPEAKER.—The Hon. member wants that information. (Addressing Sri Suryanarayana Rao) Your questions must be very clear.

Sri ALUR HANUMANTHAPPA.—Under the first scheme, it is 157 acres, the second one 120 acres, the third 60 acres and the last one 210 acres. The estimated cost for the first one is 1,57,000, the second 1,23,000, the third 60,000 and the last 2,32,000.

Sri C. J. MUCKANNAPPA.—Which is the most feasible among the four ?

Mr. SPEAKER.—Does the Hon. member mean to say which is the most suitable ? He can expect the reply only after investigation.

Sri C. J. MUCKANNAPPA.—May I know whether the departmental head inspected the spot and finally gave a report that out of those four, one was the place where submersion was not greater ?

Mr. SPEAKER.—Would be the lowest ?

Sri ALUR HANUMANTHAPPA.—Various reports are here and Government is actively considering which is the site which is feasible.

Sri C. J. MUCKANNAPPA.—Out of the four, I want to know which is that site.

Sri S. NIJALINGAPPA (Chief Minister).—It is very difficult to say at this stage. All the four are being examined. Detailed reports have been collected. The Chief Engineer has been consulted and Government is going to take a decision very very soon.

ಶ್ರೀ ಟಿ. ಮಾದಯ್ಯ ಗೌಡ.—1960ನೆಯ ಡಿಸೆಂಬರ್‌ನಲ್ಲಿ ಆಗಿನ ಚೀಫ್ ಇಂಜಿನಿಯರು ವರದಿಯನ್ನೊಪ್ಪಿಸಿದ್ದರೇ ?

ಶ್ರೀ ಎಸ್. ನಿಜಲಿಂಗಪ್ಪ.—ಅಷ್ಟರಿಂದೀಚೆಗೆ ಬಂದಿರುವ ಎಲ್ಲವನ್ನೂ ನೋಡುತ್ತೇವೆ.

ಶ್ರೀ ಕೆ. ಎಸ್. ಸೂರ್ಯನಾರಾಯಣ ರಾವ್.—ಎಷ್ಟು ಪ್ರತಿಫಲ ಬರುತ್ತದೆ ?

ಶ್ರೀ ಎಸ್. ನಿಜಲಿಂಗಪ್ಪ —ಹಾಸ್ತಿಬರುವುದಿಲ್ಲ. ಶೇಕಡ 2 ಅಥವಾ ಶೇಕಡ $2\frac{1}{2}$ ಬರಬಹುದು.

Power potential of Rivers in the State.

*Q.—346. Sri ANNA RAO GANAMUKHI (Afzalpur).—

Will the Government be pleased to state :—

(*a*) the total power potential of rivers in the State and the estimated outlay ;

(*b*) the estimated load demand during the Third Plan period and the shortfall if any ;

(*c*) the steps Government propose to take to fill the gap in the demand ?

A.—Sri S. NIJALINGAPPA (Chief Minister).—

(*a*) 3,900 MW approximately. The estimated outlay can only be given after detailed investigation of each scheme is completed.

(*b*) 906 M. W. If all the Generating units of II Stage of Sharavathi Project are installed by the end of the III plan, there may not be any shortfall by the end of the III Plan.

(*c*) Does not arise in view of reply to (*b*) above.

Sri ANNA RAO GANAMUKHI.—May I know in how many years we may be able to have this full power potential ?

Sri S. NIJALINGAPPA.—It is a very tall question to answer.

Sri ANNA RAO GANAMUKHI.—May I know whether the Central Power and Water Commission conducted a detailed survey of power required here?

Sri S. NIJALINGAPPA.—They have not conducted a detailed survey. But we have given information.

Sri ANNA RAO GANAMUKHI.—What is their assessment of load requirement ?

Mr. SPEAKER.—The reply is that the State Government has furnished the requisite information.